



Ada County Transmittal
Division of Community and Environmental Health

Return to:

- ACZ
- Boise
- Eagle
- Garden City
- Meridian
- Kuna
- Star

Rezone # _____

Conditional Use # _____

Preliminary / Final / Short Plat SUB F1 2021 -0002

Fairview Acres 1

- 1. We have No Objections to this Proposal.
- 2. We recommend Denial of this Proposal.
- 3. Specific knowledge as to the exact type of use must be provided before we can comment on this Proposal.
- 4. We will require more data concerning soil conditions on this Proposal before we can comment.
- 5. Before we can comment concerning individual sewage disposal, we will require more data concerning the depth of:
 - high seasonal ground water
 - bedrock from original grade
 - waste flow characteristics
 - other _____
- 6. This office may require a study to assess the impact of nutrients and pathogens to receiving ground waters and surface waters.
- 7. This project shall be reviewed by the Idaho Department of Water Resources concerning well construction and water availability.
- 8. After written approvals from appropriate entities are submitted, we can approve this proposal for:
 - central sewage
 - interim sewage
 - individual sewage
 - community sewage system
 - central water
 - individual water
 - community water well
- 9. The following plan(s) must be submitted to and approved by the Idaho Department of Environmental Quality:
 - central sewage
 - sewage dry lines
 - community sewage system
 - central water
 - community water
- 10. This Department would recommend deferral until high seasonal ground water can be determined if other considerations indicate approval.
- 11. If restroom facilities are to be installed, then a sewage system MUST be installed to meet Idaho State Sewage Regulations.
- 12. We will require plans be submitted for a plan review for any:
 - food establishment
 - beverage establishment
 - swimming pools or spas
 - grocery store
 - child care center
- 13. Infiltration beds for storm water disposal are considered shallow injection wells. An application and fee must be submitted to CDH.
- 14. _____

Reviewed By: *[Signature]*

Date: 12/29/2020